

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	130	(464/23).CCLS.	USPAT	OR	OFF	2005/07/07 13:34
S2	226	(464/23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:35
S3	137	(464/23).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:35
S4	0	("2004/0097289").URPN.	USPAT	OR	OFF	2005/07/07 13:35
S5	4	("5657545").URPN.	USPAT	OR	OFF	2005/07/07 13:50
S6	0	an indicator plate disposed on an outer edge of the other of coupling parts, wherein marking and serve for a determination of a relative angle of torque of said first and second coupling parts, wherein said marking and said indicator plate are disposed on said coupling parts such that they are centered relative to one another, and wherein said marking and said indicator plate abut said coupling "gap."	USPAT	WITH	OFF	2005/07/07 13:51
S7	0	an indicator plate disposed on an outer edge of the other of coupling parts, wherein marking and serve for a determination of a relative angle of torque of said first and second coupling parts, wherein said marking and said indicator plate are disposed on said coupling parts such that they are centered relative to one another, and wherein said marking and said indicator plate abut said coupling gap	USPAT	WITH	OFF	2005/07/07 13:51
S8	0	indicator plate coupling marking determination relative angle torque	USPAT	WITH	OFF	2005/07/07 13:52
S9	0	indicator plate coupling marking determination relative angle torque	USPAT	SAME	OFF	2005/07/07 13:52
S10	0	coupling marking determination relative angle torque	USPAT	SAME	OFF	2005/07/07 13:53
S11	0	coupl\$4 marking determination relative angle torque	USPAT	SAME	OFF	2005/07/07 13:53
S12	0	coupl\$4 mark4\$ determination relative angle torque	USPAT	SAME	OFF	2005/07/07 13:53

S13	0	coupl\$4 mark4\$ determin\$5 angle torque	USPAT	SAME	OFF	2005/07/07 13:53
S14	3075	coupl\$4 angle torque	USPAT	SAME	OFF	2005/07/07 13:54
S15	806	coupl\$4 angle torque	USPAT	WITH	OFF	2005/07/07 13:54
S16	1	coupl\$4 angle torque	USPAT	NEAR	OFF	2005/07/07 13:54
S17	3358	torque adj sensor	USPAT	NEAR	OFF	2005/07/07 13:55
S18	3	(torque adj sensor) and claw adj coupling	USPAT	NEAR	OFF	2005/07/07 13:59
S19	6	("4712433" "4805463" "4864873" "4881414" "5009110" "5020616").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 13:57
S20	11	(torque adj sensor) and (elast\$6 near coupling)	USPAT	NEAR	OFF	2005/07/07 14:01
S21	0	(torque adj sensor) and (elast\$6 same strobe)	USPAT	NEAR	OFF	2005/07/07 14:02
S22	16	(torque adj sensor) and (strobe)	USPAT	NEAR	OFF	2005/07/07 14:04
S23	637	(position adj sensor) and (strobe)	USPAT	NEAR	OFF	2005/07/07 14:04
S24	0	(position adj sensor) and (strobe) and claw adj coupling	USPAT	NEAR	OFF	2005/07/07 14:05
S25	0	(position adj sensor) and (strobe) and claw near coupling	USPAT	NEAR	OFF	2005/07/07 14:05
S26	0	(position adj sensor) and (strobe) and elast\$6 near coupling	USPAT	NEAR	OFF	2005/07/07 14:05
S27	53	(position adj sensor) and (strobe) and elast\$6 and coupling	USPAT	NEAR	OFF	2005/07/07 14:07
S28	4	(position near torque) and (strobe) and elast\$6 and coupling	USPAT	NEAR	OFF	2005/07/07 14:13
S29	34	("3495452" "3564009" "3885420" "3934459" "3950569" "4102734" "4121272" "4148222" "4235958" "4317371" "4430566" "4433585" "4464935" "4482584" "4551017" "4578290" "4621256" "4641027" "4727014" "4783998" "4806454" "4818661" "4844947" "4885231" "4975569" "4978954" "4995257" "4997747" "5001937" "5328727" "5365787" "5438882").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 14:09
S30	1	("6257075").URPN.	USPAT	OR	OFF	2005/07/07 14:12
S31	0	(position near torque) and (strobe) and flex\$4 near coupling	USPAT	NEAR	OFF	2005/07/07 14:13
S32	27	(position near torque) and flex\$4 near coupling	USPAT	NEAR	OFF	2005/07/07 14:18

S33	20	((position with torque) and (flex\$4 with coupling)) same indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	NEAR	OFF	2005/07/07 14:36
S34	5	("4102052").URPN.	USPAT	OR	OFF	2005/07/07 14:20
S35	12	("0697701" "1323046" "2516854" "3163037" "3688570" "3762217" "3828562" "3871215").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 14:21
S36	2	("2432900").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 14:26
S37	9	("5009110").URPN.	USPAT	OR	OFF	2005/07/07 14:26
S38	12	("0697701" "1323046" "2516854" "3163037" "3688570" "3762217" "3828562" "3871215").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 14:28
S39	5	("4102052").URPN.	USPAT	OR	OFF	2005/07/07 14:28
S40	5	("4033042" "4102052" "4428126" "4516328" "4586264").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 14:29
S41	6	("5009110" "5501110" "5731529" "6227060" "6269702" "6427542").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 14:30
S42	7	("5731529").URPN.	USPAT	OR	OFF	2005/07/07 14:31
S43	5	("5195382" "5394760" "5450761" "5490431" "5501110").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 14:31
S44	14	("3111028" "3170323" "3307164" "3742243" "3823607" "4173265" "4430566" "4448084" "4646088" "4724710" "4851771").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 14:33
S45	13	("5195382").URPN.	USPAT	OR	OFF	2005/07/07 14:34
S46	0	((position with torque) near indicator and (flex\$4 same coupling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	NEAR	OFF	2005/07/07 14:37
S47	0	((position same torque) near indicator and (flex\$4 same coupling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	NEAR	OFF	2005/07/07 14:37

S48	2	((position and torque) near indicator and (flex\$4 same coupling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	NEAR	OFF	2005/07/07 14:40
S49	4	("2978901").URPN.	USPAT	OR	OFF	2005/07/07 14:38
S50	46	((position and torque) with indicator and (flex\$4 same coupling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	NEAR	OFF	2005/07/07 14:40